


INFORMATIVE NOTE
Name: REFLEXX NBio
Date: 15/05/2024 Rev: 03
MANUFACTURER

 REFLEXX SpA
 Via Passeri, 2 46019 VIADANA (MN)
 Tel.: + 39 0375 758891 Fax + 39 0375 464504
info@reflexx.com
www.reflexx.com

Pack

Cod./Size	Box	Carton
NBio/XS	8032891630266	8032891635261
NBio/S	8032891630211	8032891635216
NBio/M	8032891630228	8032891635223
NBio/L	8032891630235	8032891635230
NBio/XL	8032891630242	8032891635247

DESCRIPTION: ■ disposable examination glove powder free, not sterile ■ Material: nitrile ■ Shape: ambidextrous; five fingers, beaded cuff ■ Colour: green ■ **Feature:** internally chlorinated; externally textured fingertips ■ Glove manufactured with biodegradable technology, tested for biodegradability under conditions defined by ASTM D5511. Non-compostable, biodegradation rate in anaerobic conditions typical of biologically active landfills, greater than a standard nitrile glove **Packing:** 100 pieces/box; 10 boxes/carton ■ **ISO 2859:** AQL 1.5 (level G1) freedom from holes; AQL 2.5 (level G1) major defects; AQL 4 (level G1) minor defects

CONFORMITY AND PERFORMANCES
Personal Protective Equipment cat III

0465 ANCI_CIMAC, Via Aguzzafame, 60/b 27029 Vigevano (PV)

Reg EU 2016/425 - EN ISO 374-1:2016 TYPE C - EN ISO 374-5:2016 - EN 374-2:2014 - EN 420:2003 + A1 2009

Medical Device

Reg EU 2017/745 – EN 455 1,2,3 & 4

(CND T01020204 NON SURGICAL NITRILE GLOVES)



Reg CE 1935/2004 – Reg EU 10/2011 - DM 21/03/73. To such use carefully read the declaration of suitability for food contact (DICA).

DIMENSIONS

Cod./Size	Length min* mm	Width mm (±3)
NBio/XS (6)	240	76
NBio/S (7)	240	84
NBio/M (8)	240	94
NBio/L (9)	240	105
NBio/XL (10)	240	113

* Gloves for special applications 5.1.3

Thickness mm	Palm (+/- 0.02)	0.07
------------------------	-----------------	------

EN 455-2:2009/A1	Tensile strength	≥6 N
-------------------------	------------------	------

EN ISO 374-5:2016	Protection from microorganisms (bacteria and fungi)	Virus protection ISO 16604:2004
	pass	pass

REG EU 2016/425

EN ISO 374-5: 2016

EN ISO 374-1:2016

Chemical compound:	COD	EN 16523-1:2015 TYPE C		EN 374-4:2013
		Performance level	Breakthrough time	% degradation
Sodium hydroxide 40%	K	6	>480'	-48,91%

RISKS FROM WHICH THE DPI IS DESIGNED TO PROTECT:

COD		Protection
K Sodium hydroxide 40%	CAS:1310-73-2	Protection from use of inorganic bases

RECOMENDATIONS OF USE Multi-purpose glove to protect the hand and/or the handled product, can also be used for general uses ■ The glove is suitable for contact with pure chemical products for a period of less than the permeation time indicated in the chemical resistance table ■ Results obtained under laboratory conditions may not reflect actual working time ■ Gloves designed to protect the surface of the

REFLEXX S.P.A. UNIPERSONALE VIA PASSERI, 2 - 46019 VIADANA (MN) | TEL. + 39 0375 758891

 Cap.Soc. 1.200.000 € (i.v.) | PIVA 02085450209 | M5UXCR1 | R.E.A. 223166 | info@reflexx.com www.reflexx.com

hand from chemical splashes, limited to the palm, back and fingers. Therefore, the length of the gloves is less than the EN requirements for the minimum total length of the glove and is considered as "Suitable for special purposes" (EN 420:2003, Clause 5.1.3)

WARNINGS Before using the product, try it in the real condition of use ■ The glove is a device subject to wear, so frequent replacement is recommended and in all cases where imperfections are observed ■ Wear gloves with dry, clean hands ■ In rare cases where transient hypersensitive skin reactions may occur, discontinue use and consult a doctor ■ The user must inform the manufacturer and the relative authority of any incidents occurring during the use of the protective equipment

STORAGE AND DISPOSAL Store the gloves in their original packaging in a dry place. ■ Store at room temperature ■ Do not expose to direct sunlight and heat sources. ■ The expiry date is 3 years from the date of manufacture indicated on the sales package, and is valid for the product properly stored ■ Gloves must be disposed of according to local regulations ■ Declaration of Conformity on www.reflexx.com